Response To Notice Of Non-Compliant Amendment Serial No.: 09/652,648

Art Unit: 3635

ATTACHED APPENDIX 5 PAGES 3 CLAIMS

Claim 1 (currently amended): A demountable and reusable wall assembly for partitioning a room space between an overhead and a floor comprising: a plurality of panels having edges at the extremities, (a) a plurality of studs for supporting the panels, (b) a plurality of long-term removeable fasteners, (c) (d) a tape, and a tab associated with the tape, (e) the panels are affixed to the studs at the panel edges to form a seam, the long-term, removable fasteners secure the adjacent panels to the studs, the seam and long-term removable fasteners are covered with the tape and covered with a mud compound, the tape is sufficiently strong to be removed, when the wall assembly is demounted as a single piece, in unison, and the tape may be removed as a single piece by pulling the tab, as the tab is pulled, the tape and the mud compound is disengaged disengage from the panels thereby exposing the long-term removable fasteners such that the long-term removable fasteners are ean be easily removed and the panels and studs disassembled, the heads of the long-term removable fasteners are kept clean for easy engagement and removal and the tape is sufficiently unporous to prevent the mud compound from penetrating through the tape to fill the heads of the

long-term fasteners.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

. 24

25

Claim 2 (currently amended): A demountable and reusable wall assembly for partitioning a room space between an overhead and a floor comprising: a plurality of panels having edges at the extremities, (a) a plurality of studs for supporting the panels, (b) a plurality of long-term removeable fasteners, (c) (d) a tape, a tab associated with the tape, and (e) (f) a releasable adhesive, the panels are affixed to the studs at the panel edges to form a seam, the long-term, removable fasteners secure the adjacent panels to the studs, the seam and long-term removable fasteners are covered with the tape and covered with a mud compound, the tape is sufficiently strong to be removed, when the wall assembly is demounted, as a single piece, in unison, and the tape may be removed as a single piece by pulling the tab, as the tab is pulled, the tape and the mud compound is disengaged disengage from the panels thereby exposing the long-term removable fasteners such that the long-term removable fasteners are ean be easily removed and the panels and studs disassembled, the heads of the long-term removable fasteners are kept clean for easy engagement and removal and the tape is sufficiently unporous to prevent the mud compound from

penetrating through the tape to fill the heads of the

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

. 24

25

long-term fasteners, the panels are also affixed to the studs not at the panel edges using the releasable adhesive.

Claim 3 (currently amended): A demountable and reusable wall assembly for partitioning a room space between an overhead and a floor comprising: a plurality of panels having edges at the extremities, (a) a plurality of studs for supporting the panels, (b) a plurality of long-term removeable fasteners, (c) (d) a tape, a tab associated with the tape, and (e) (f) a releasable adhesive, the panels are affixed to the studs at the panel edges to form a seam, the long-term, removable fasteners secure the adjacent panels to the studs, the seam and the long-term removable fasteners are covered with the tape and covered with a mud compound, the tape is sufficiently strong to be removed, when the wall assembly is demounted as a single piece, in unison, and the tape may be removed as a single piece by pulling the tab, as the tab is pulled, the tape and the mud compound is disengaged disengage from the panels thereby exposing the long-term removable fasteners such that the long-term removable fasteners are ean be easily removed and the panels and studs disassembled, the heads of the long-term removable fasteners are kept clean for easy engagement and removal and the tape is sufficiently unporous to prevent the mud compound

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

. 24

from penetrating through the tape to fill the heads of the 26 long-term fasteners, further, 27 the panels are also affixed to the studs not at the panel 28 edges using the long-term, removable fasteners to secure 29 30 the middle portion of the panels to the studs intermediate 31 of the extremities of the panel, and the long-term 32 removable fasteners are covered with the tape and 33 covered with a mud compound, the tape is sufficiently strong to be removed, when the wall assembly is 34 demounted as a single piece, in unison, and the tape may 35 36 be removed as a single piece by pulling the tab, as the tab is pulled, the tape and the mud compound is 37 disengaged disengage from the panel thereby exposing 38 39 the long-term removable fasteners such that the 40 long-term removable fasteners are ean be easily removed 41 and the panels and studs disassembled.